

## WULKAN 300

The wheel washer **WULKAN 300** is a modern device designed for car service stations as well as tire repair shops and modern gas stations.



### Technical Data

|                                                |                                        |
|------------------------------------------------|----------------------------------------|
| Wheel diameter                                 | 560 - 800 mm                           |
| Wheel width                                    | 135 - 305 mm                           |
| Maximum wheel weight                           | 60 kg                                  |
| Washing time (3 programmes)                    | 20, 40, 60 s (regulowane, 3 programy)* |
| Drying time                                    | 15 s (regulowany, 1 program)**         |
| Pump drive - electric motor 400, V 5.5 kW      | 2900 obr / min                         |
| Pump efficiency                                | 600 l / min                            |
| Wheel drive 230/400 V, 50 Hz, 3-phase, 0.37 kW | 930 obr / min                          |
| Motors and drive power                         | 6 kW                                   |
| Water pressure                                 | 4 bar                                  |
| Water capacity                                 | 300 l                                  |
| Working medium batch                           | 20 kg                                  |
| Cleaning concentrate WULKAN TURBO              | 3 l                                    |
| Pneumatic supply                               | 8 - 12 bar                             |
| noise level                                    | 78,4 dB                                |
| Dimensions                                     | 900/1210/1450                          |
| Weight                                         | 310 kg                                 |
| Maximum limiting number of washing process     | 500 włączeń                            |

starts (service lock)

\*/\*\* czasy regulowane wyłącznie na etapie produkcji

**Among the operational advantages of the device, we include:**

- Wheel washing in a closed water circuit (without permanent connection to water inlet and outlet)
- Easy operation (four control buttons for operating the washer)
- Wheel washing with minimal physical effort

**Standard equipment:**

---

- WULKAN MIX granulate 25 kg
- Granulate basket
- WULKAN TURBO cleaning concentrate 30 l
- Upper protective cover made of plastic

